

**Technical features:**

- 5 pins key biting system (3, 4 pins for short size)
- 0,65 mm depth
- CYLINDER
- brass body
- brass plugs
- pins in wear resistant bronze
- drivers in brass, cylindrical and mushroom-like for an antipicking function
- phosphor bronze springs
- self-lubricating sintered steel projecting DIN cam
- KEY:
- nickel-plated brass

Supplied as standard:

- 3 keys
- Fixing screw


Finishes:

- STANDARD:
- sanded brass (fin. 00)
- ON REQUEST:
- nickel-plated brass (fin. 12)
- Polished brass (fin. 66)

Standards:

- Manufactured in conformity with EN 1303:
- Durability: grade 6 (100.000 cycles)
- Security: grade 2


Type	Description	Comm. dim.	Key item				Unit weight	Pieces	ITEM				
			L	A	B	Pins			Type	Dim.	Hand	Fin.	Pers. Spec.



• Double cylinder


22 / 22	43,4	21,7	21,7	3	1	01330 00 1	0,172	12	1	08510 02 0			
22 / 27	48,4	21,7	26,7	3	1	01330 00 1	0,192	12	1	08510 03 0			
25 / 25	49,8	24,9	24,9	4	1	01320 00 1	0,192	12	1	08510 04 0			
27 / 27	53,0	26,5	26,5	4	1	01320 00 1	0,194	12	1	08510 05 0			
27 / 33	59,0	26,5	32,5	4	1	01320 00 1	0,212	12	1	08510 06 0			
30 / 30	59,0	29,5	29,5	5	1	01310 00 1	0,212	12	1	08510 07 0			
30 / 33	62,0	29,5	32,5	5	1	01310 00 1	0,232	12	1	08510 08 0			
30 / 35	64,0	29,5	34,5	5	1	01310 00 1	0,238	12	1	08510 26 0			
33 / 33	65,0	32,5	32,5	5	1	01310 00 1	0,240	12	1	08510 10 0			
27 / 43	69,0	26,5	42,5	4	1	01320 00 1	0,244	12	1	08510 11 0			
30 / 40	69,0	29,5	39,5	5	1	01310 00 1	0,242	12	1	08510 12 0			
35 / 35	69,0	34,5	34,5	5	1	01310 00 1	0,242	12	1	08510 13 0			
30 / 43	72,0	29,5	42,5	5	1	01310 00 1	0,267	6	1	08510 14 0			
37 / 37	73,0	36,5	36,5	5	1	01310 00 1	0,257	6	1	08510 15 0			
30 / 45	74,0	29,5	44,5	5	1	01310 00 1	0,260	6	1	08510 27 0			
35 / 40	74,0	34,5	39,5	5	1	01310 00 1	0,260	6	1	08510 28 0			
27 / 53	79,0	26,5	52,5	4	1	01310 00 1	0,290	6	1	08510 16 0			
30 / 50	79,0	29,5	49,5	5	1	01310 00 1	0,290	6	1	08510 17 0			
35 / 45	79,0	34,5	44,5	5	1	01310 00 1	0,290	6	1	08510 19 0			
40 / 40	79,0	39,5	39,5	5	1	01310 00 1	0,276	6	1	08510 18 0			
40 / 45	84,0	39,5	44,5	5	1	01310 00 1	0,303	6	1	08510 30 0			
35 / 50	84,0	34,5	49,5	5	1	01310 00 1	0,277	6	1	08510 31 0			
43 / 43	85,0	42,5	42,5	5	1	01310 00 1	0,303	6	1	08510 46 0			
30 / 60	89,0	29,5	59,5	5	1	01310 00 1	0,373	6	1	08510 20 0			
45 / 45	89,0	44,5	44,5	5	1	01310 00 1	0,317	6	1	08510 21 0			
45 / 45	89,0	44,5	44,5	5	1	01310 00 1	0,317	6	1	08510 29 0			
30 / 70	99,0	29,5	69,5	5	1	01310 00 1	0,345	6	1	08510 24 0			
35 / 65	99,0	34,5	64,5	5	1	01310 00 1	0,345	6	1	08510 22 0			
40 / 60	99,0	39,5	59,5	5	1	01310 00 1	0,343	6	1	08510 25 0			
45 / 55	99,0	44,5	54,5	5	1	01310 00 1	0,343	6	1	08510 43 0			
45 / 60	104,0	44,5	59,5	5	1	01310 00 1	0,345	6	1	08510 23 0			
45 / 60	104,0	44,5	59,5	5	1	01310 00 1	0,375	6	1	08510 54 0			
40 / 70	109,0	39,5	69,5	5	1	01310 00 1	0,375	6	1	08510 37 0			
40 / 70	109,0	39,5	69,5	5	1	01310 00 1	0,375	6	1	08510 35 0			
50 / 60	109,0	49,5	59,5	5	1	01310 00 1	0,375	6	1	08510 36 0			
55 / 55	109,0	54,5	54,5	5	1	01310 00 1	0,375	6	1	08510 70 0			
60 / 60	119,0	59,5	59,5	5	1	01310 00 1	0,390	6	1	08510 40 0			

Type	Description	Comm. dim.				Key item	 Kg		ITEM				
		L	A	B	Pins				Type	Dim.	Hand	Fin.	Pers. Spec.




• Clutching system double cylinder

27 / 27	54,0	27,0	27,0	4	1	01320 00 1	0,203	12	1	08514 05 0			
27 / 33	59,5	27,0	32,5	4	1	01320 00 1	0,222	12	1	08514 06 0			
31 / 31	61,6	30,8	30,8	5	1	01310 00 1	0,222	12	1	08514 07 0			
31 / 35	65,3	30,8	34,5	5	1	01310 00 1	0,238	12	1	08514 26 0			
27 / 43	69,5	27,0	42,5	4	1	01320 00 1	0,258	12	1	08514 11 0			




• Single cylinder with adjustable cam in 8 position

25 / 10	34,5	24,5	10,0	4	1	01320 00 1	0,150	12	1	08530 18 0			
33 / 10	42,5	29,5	10,0	5	1	01310 00 1	0,158	12	1	08530 02 0			
33 / 10	42,5	32,5	10,0	5	1	01310 00 1	0,163	12	1	08530 09 0			
35 / 10	44,5	34,5	10,0	5	1	01310 00 1	0,160	12	1	08530 07 0			
37 / 10	46,5	36,5	10,0	5	1	01310 00 1	0,186	12	1	08530 10 0			
40 / 10	49,5	39,5	10,0	5	1	01310 00 1	0,185	12	1	08530 03 0			
43 / 10	52,5	42,5	10,0	5	1	01310 00 1	0,200	12	1	08530 11 0			
50 / 10	59,5	49,5	10,0	5	1	01310 00 1	0,205	12	1	08530 04 0			
60 / 10	69,5	59,5	10,0	5	1	01310 00 1	0,250	12	1	08530 05 0			
64 / 10	73,5	63,5	10,0	5	1	01310 00 1	0,310	6	1	08530 21 0			
70 / 10	79,5	69,5	10,0	5	1	01310 00 1	0,280	6	1	08530 06 0			
80 / 10	89,5	79,5	10,0	5	1	01310 00 1	0,310	6	1	08530 20 0			
94 / 10	103,5	93,5	10,0	5	1	01310 00 1	0,350	6	1	08530 13 0			




• Double thumb turn cylinder with polished brass knob

27 / 27	54,0	27,0	27,0	4	1	01320 00 1	0,300	6	1	08520 02 0			
23 / 31	54,0	23,2	30,8	3	1	01330 00 1	0,300	6	1	08520 23 0			
31 / 23	54,0	30,8	23,2	5	1	01310 00 1	0,278	6	1	08520 03 0			
27 / 33	59,5	27,0	32,5	4	1	01320 00 1	0,315	6	1	08520 24 0			
33 / 27	59,5	32,5	27,0	5	1	01310 00 1	0,316	6	1	08520 05 0			
31 / 31	61,6	30,8	30,8	5	1	01310 00 1	0,300	6	1	08520 04 0			
31 / 33	63,3	30,8	32,5	5	1	01310 00 1	0,328	6	1	08520 07 0			
33 / 31	63,3	32,5	30,8	5	1	01310 00 1	0,329	6	1	08520 06 0			
31 / 36	67,1	30,8	36,3	5	1	01310 00 1	0,340	6	1	08520 09 0			
36 / 31	67,1	36,3	30,8	5	1	01310 00 1	0,318	6	1	08520 10 0			
31 / 43	73,3	30,8	42,5	5	1	01310 00 1	0,337	6	1	08520 11 0			
43 / 31	73,3	42,5	30,8	5	1	01310 00 1	0,358	6	1	08520 12 0			
31 / 50	80,8	30,8	50,0	5	1	01310 00 1	0,362	6	1	08520 26 0			
36 / 46	82,1	36,3	45,8	5	1	01310 00 1	0,364	6	1	08520 19 0			
33 / 50	82,5	32,5	50,0	5	1	01310 00 1	0,364	6	1	08520 29 0			
43 / 43	85,0	42,5	42,5	5	1	01310 00 1	0,395	6	1	08520 25 0			
43 / 46	88,3	42,5	45,8	5	1	01310 00 1	0,382	6	1	08520 21 0			
46 / 43	88,3	45,8	42,5	5	1	01310 00 1	0,384	6	1	08520 22 0			
31 / 60	90,8	30,8	60,0	5	1	01310 00 1	0,390	6	1	08520 27 0			
68 / 23	91,2	68,0	23,2	5	1	01310 00 1	0,417	6	1	08520 42 0			
31 / 80	110,8	30,8	80,0	5	1	01310 00 1	0,454	6	1	08520 13 0			
27 / 85	112,0	27,0	85,0	4	1	01320 00 1	0,455	6	1	08520 28 0			


Type	Description	Comm. dim.					Key item	Kg	Unit weight	Pieces	ITEM				
		L	A	B	Pins						Type	Dim.	Hand	Fin.	Pers. Spec.
	• Double thumb turn cylinder with gold bronze aluminium anodized knob	23 / 31	54,0	23,2	30,8	3	1 01330 00 1	0,278	6	1	08528 23 0				
		27 / 27	54,0	27,0	27,0	4	1 01320 00 1	0,279	6	1	08528 02 0				
		31 / 23	54,0	30,8	23,2	5	1 01310 00 1	0,279	6	1	08528 03 0				
		27 / 33	59,5	27,0	32,5	4	1 01320 00 1	0,317	6	1	08528 24 0				
		33 / 27	59,5	32,5	27,0	5	1 01310 00 1	0,318	6	1	08528 05 0				
		31 / 31	61,6	30,8	30,8	5	1 01310 00 1	0,300	6	1	08528 04 0				
		31 / 33	63,3	30,8	32,5	5	1 01310 00 1	0,310	6	1	08528 07 0				
		33 / 31	63,3	32,5	30,8	5	1 01310 00 1	0,307	6	1	08528 06 0				
		31 / 36	67,1	30,8	36,3	5	1 01310 00 1	0,319	6	1	08528 09 0				
		36 / 31	67,1	36,3	30,8	5	1 01310 00 1	0,341	6	1	08528 10 0				
		31 / 43	73,3	30,8	42,5	5	1 01310 00 1	0,340	6	1	08528 11 0				
		43 / 31	73,3	42,5	30,8	5	1 01310 00 1	0,340	6	1	08528 12 0				
		31 / 50	80,8	30,8	50,0	5	1 01310 00 1	0,385	6	1	08528 26 0				
		36 / 46	82,1	36,3	45,8	5	1 01310 00 1	0,456	6	1	08528 19 0				
		33 / 50	82,5	32,5	50,0	5	1 01310 00 1	0,400	6	1	08528 29 0				
		43 / 43	85,0	42,5	42,5	5	1 01310 00 1	0,377	6	1	08528 25 0				
		43 / 46	88,3	42,5	45,8	5	1 01310 00 1	0,408	6	1	08528 21 0				
		46 / 43	88,3	45,8	42,5	5	1 01310 00 1	0,407	6	1	08528 22 0				
		31 / 60	90,8	30,8	60,0	5	1 01310 00 1	0,427	6	1	08528 27 0				
		31 / 80	110,8	30,8	80,0	5	1 01310 00 1	0,480	6	1	08528 13 0				
		27 / 85	112,0	27,0	85,0	4	1 01310 00 1	0,490	6	1	08528 28 0				

Type	Description	Comm. dim.				Key item			ITEM				
		L	A	B	Pins				type	Dim.	Hand	Fin.	Pers. Spec.
							Unit weight	Pieces					




- Double cylinder with thumb turn shaft
- ON REQUEST: Knobs
item 1.06353.00
item 1.06354.00

23 / 31	54,0	23,2	30,8	3	1	01330 00 1	0,192	6	1	08553	23 0		
27 / 27	54,0	27,0	27,0	4	1	01320 00 1	0,193	6	1	08553	02 0		
31 / 23	54,0	30,8	23,2	5	1	01310 00 1	0,188	6	1	08553	03 0		
27 / 33	59,5	27,0	32,5	4	1	01320 00 1	0,223	6	1	08553	24 0		
33 / 27	59,5	32,5	27,0	5	1	01310 00 1	0,237	6	1	08553	05 0		
31 / 31	61,6	30,8	30,8	5	1	01310 00 1	0,230	6	1	08553	04 0		
31 / 33	63,3	30,8	32,5	5	1	01310 00 1	0,237	6	1	08553	07 0		
33 / 31	63,3	32,5	30,8	5	1	01310 00 1	0,237	6	1	08553	06 0		
33 / 33	65,0	32,5	32,5	5	1	01310 00 1	0,245	6	1	08553	34 0		
43 / 23	65,7	42,5	23,2	5	1	01310 00 1	0,228	6	1	08553	41 0		
31 / 36	67,1	30,8	36,3	5	1	01310 00 1	0,267	6	1	08553	09 0		
36 / 31	67,1	36,3	30,8	5	1	01310 00 1	0,267	6	1	08553	10 0		
35 / 35	69,0	34,5	34,5	5	1	01310 00 1	0,237	6	1	08553	14 0		
36 / 36	72,6	36,5	36,5	5	1	01310 00 1	0,280	6	1	08553	18 0		
31 / 43	73,3	30,8	42,5	5	1	01310 00 1	0,283	6	1	08553	11 0		
43 / 31	73,3	42,5	30,8	5	1	01310 00 1	0,283	6	1	08553	12 0		
31 / 50	80,8	30,8	50,0	5	1	01310 00 1	0,300	6	1	08553	26 0		
36 / 46	82,1	36,3	45,8	5	1	01310 00 1	0,308	6	1	08553	19 0		
46 / 36	82,1	45,8	36,3	5	1	01310 00 1	0,308	6	1	08553	33 0		
33 / 50	82,5	32,5	50,0	5	1	01310 00 1	0,317	6	1	08553	29 0		
43 / 43	85,0	42,5	42,5	5	1	01310 00 1	0,282	6	1	08553	25 0		
43 / 46	88,3	42,5	45,8	5	1	01310 00 1	0,333	6	1	08553	21 0		
46 / 43	88,3	45,8	42,5	5	1	01310 00 1	0,319	6	1	08553	22 0		
43 / 47	89,5	42,5	47,0	5	1	01310 00 1	0,338	6	1	08553	44 0		
31 / 60	90,8	30,8	60,0	5	1	01310 00 1	0,327	6	1	08553	27 0		
68 / 23	91,2	68,0	23,2	5	1	01310 00 1	0,350	6	1	08553	42 0		
46 / 46	91,6	48,5	48,5	5	1	01310 00 1	0,350	6	1	08553	38 0		
60 / 36	96,3	60,0	36,3	5	1	01310 00 1	0,360	6	1	08553	37 0		
45 / 55	99,0	44,5	54,5	5	1	01310 00 1	0,370	6	1	08553	31 0		
55 / 45	99,0	54,5	44,5	5	1	01310 00 1	0,370	6	1	08553	35 0		
59 / 46	105,0	59,0	45,8	5	1	01310 00 1	0,385	6	1	08553	40 0		
60 / 50	110,0	60,0	50,0	5	1	01310 00 1	0,400	6	1	08553	39 0		
31 / 80	110,8	30,8	80,0	5	1	01310 00 1	0,400	6	1	08553	13 0		
27 / 85	112,0	27,0	85,0	4	1	01320 00 1	0,408	6	1	08553	28 0		
55 / 65	119,0	54,5	64,5	5	1	01310 00 1	0,430	6	1	08553	32 0		
65 / 55	119,0	64,5	54,5	5	1	01310 00 1	0,430	6	1	08553	36 0		




- Single cylinder with thumb turn shaft
- ON REQUEST: Knobs
item 1.06353.00
item 1.06354.00

33 / 10	42,5	32,5	10,0				0,138	6	1	08559	09 0		
37 / 10	46,5	36,5	10,0				0,135	6	1	08559	10 0		
43 / 10	52,5	42,5	10,0				0,130	6	1	08559	11 0		



- Double thumb turn cylinder for bathroom doors, with polished brass knob

27 / 27	54,0	27,0	27,0				0,276	6	1	08524	02 0		
27 / 33	59,5	27,0	32,5				0,320	6	1	08524	24 0		
31 / 31	61,6	30,8	30,8				0,290	6	1	08524	04 0		
35 / 35	69,0	34,5	34,5				0,333	6	1	08524	14 0		

Type	Description	Comm. dim.				Key item	Unit weight Kg	Pieces	ITEM				
		L	A	B	Pins				Type	Dim.	Hand	Fin.	Pers. Spec.
	Double cylinder for bathroom doors with thumb turn shaft	27 / 27	54,0	27,0	27,0		0,217	6	1	08525 02 0			
		27 / 33	59,5	27,0	32,5		0,200	6	1	08525 24 0			
		31 / 31	61,6	30,8	30,8		0,205	6	1	08525 04 0			
		35 / 35	69,0	34,5	34,5		0,333	6	1	08525 14 0			