

























Type	Description	For series/item	 Unit weight	 Pieces	ITEM			
					Type	Dim.	Hand	Pers. Spec.
	- Assembly kit for: European profile cylinders Rim cylinders Padlocks item 1.22010.50/60 and 1.26020.50/60 - Pins diameter 2.8 mm.	0G300, 08300, 08700	3,370	1	1 07550 01 0			
	- Assembly kit for: Padlocks item 1.22010.30/40 - Pins diameter 2.8 mm.	1 22010 30 0, 1 22010 40 0	2,400	1	1 07550 02 0			
	- Assembly kit for: Steel padlocks series 28050, 28350, 28550 Brass padlocks item 1.22010.50/60 and 1.26020.50/60 - Pins diameter 2.8 mm.	1 22010 50 0, 1 22010 60 0, 1 26020 50 0, 1 26020 60 0, 28050, 28350, 28550	2,500	1	1 07550 04 0			
	- Assembly kit for: SP and TSP cylinders - Pins diameter 2.8 mm.	08810, 08815	2,900	1	1 07550 05 0			
	Assembly kit for: ASTRAL and ASIX cylinders Padlocks series 22610	0A310, 0E300, 22610	3,170	1	1 07550 08 0			
	- Dummy plug - Holes spacing: 4 mm.	0G300, 02500, 08310, 08710	0,660	1	1 07559 01 0			
	Spring retaining shoe	0G300, 08310, 08710	0,030	1	1 07559 02 0			
		0A310, 0E300	0,015	1	1 07559 62 0			
	Spring pressing blade	0G300, 08310, 08710	0,050	1	1 07559 03 0			
		0A310, 0E300	0,018	1	1 07559 63 0			

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.
	• Circlip pliers		0,190	1	1	07559 04 0			
	• Tweezers		0,010	1	1	07559 05 0			
	• Spring retaining bar for rim cylinders		0,105	1	1	07559 06 0			
	• Testing tool	1 22010 50 0	0,025	1	1	07559 07 0			
	• Testing tool	1 22010 60 0	0,030	1	1	07559 08 0			
	• Set of depth keys item 01310 (6 pieces)		0,061	1	1	07559 09 0			
	• Testing tool	1 22010 30 0	0,020	1	1	07559 10 0			
	• Testing tool	1 22010 40 0	0,025	1	1	07559 11 0			
	• Set of depth keys item 01410 (6 pieces)		0,046	1	1	07559 12 0			
	• Pin gauge (increment 0.65 mm.)	01310, 01410	0,035	1	1	07559 13 0			
	• Pin gauge (increment 0,44 mm.)	01070	0,035	1	1	07559 48 0			
	• Plug assembling tool	08310	0,525	1	1	07559 16 0			


Type	Description	For series/item	Kg Unit weight	Pcs Pieces	ITEM			
					Type	Dim.	Hand	Pers. Spec.
	- Dummy plug - Holes spacing: 3.5 mm.	08810, 08815	0,660	1	1 07559 19 0			
	Pin gauge (increment 0.5 mm.)	08810, 08815	0,015	1	1 07559 22 0			
	Set of depth keys item 00450(8 pieces)	08810, 08815	0,150	1	1 07559 23 0			
	Butterfly-type spring retaining shoe for cylinders with knob		0,050	1	1 07559 24 0			
	Ball assembling tool for cylinders with knob		0,050	1	1 07559 25 0			
	Knob assembling tool for cylinders with knob		0,050	1	1 07559 26 0			
	Set of depth keys item 01070 (8 pieces)	0G300	0,081	1	1 07559 28 0			
	Spring positioning tool	0A310, 0E300	0,055	1	1 07559 80 0			
	Dummy plug	0A310, 0E300	2,750	1	1 07559 81 0			

Type	Description	For series/item	Kg	Unit weight	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers. Spec.



- Key bitting check kit, for Astral cylinder keys

0A310, 0E300 0,015 1 1 07559 84 0



- Spring positioning tool

0G300, 08310, 08710 0,080 1 1 07559 85 0