


**Technical features:**

- Geared operating device for reduced key effort
- Zinc plated steel case
- Nickel-plated reversible latch
- Nickel-plated steel bolts
- Packing: 1 or 5 pcs. (industrial wrapping)


Hand:

0 = Non-handed

Cylinder to be ordered separately


**REVOLUTION**

Type	Description	DEAD-BOLTS								ITEM				
		No.	Projection	Distance	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	Type	Dim.	Hand	Fin.




- Dead-bolt and latch
- Electrically controlled dead-locking latch
- 12 V ac CE
- Slide item 1.06224.50.0

4	3,5	25	2	85	64	2,330	1	1	15510	25	0			
4	3,5	27	2	85	64	2,330	1	1	15510	27	0			
4	3,5	28	2	85	64	2,330	1	1	15510	28	0			
3	3,5	32	2	85	64	2,330	1	1	15510	32	0			
3	3,5	38	2	85	64	2,330	1	1	15510	38	0			
4	3,5	25	2	85	64	2,030	5	1	15510	45	0			
4	3,5	27	2	85	64	2,030	5	1	15510	47	0			
4	3,5	28	2	85	64	2,030	5	1	15510	48	0			
3	3,5	32	2	85	64	2,030	5	1	15510	52	0			
3	3,5	38	2	85	64	2,030	5	1	15510	58	0			







- Dead-bolt and latch
- Electrically controlled dead-locking latch
- 12 V ac CE
- Slide item 1.06224.50.0
- Pre-arranged for additional locking points

4	3,5	25	2	85	64	2,520	1	1	15515	25	0			
4	3,5	27	2	85	64	2,520	1	1	15515	27	0			
4	3,5	28	2	85	64	2,660	1	1	15515	28	0			
3	3,5	32	2	85	64	2,520	1	1	15515	32	0			
3	3,5	38	2	85	64	2,520	1	1	15515	38	0			
4	3,5	25	2	85	64	2,220	5	1	15515	45	0			
4	3,5	27	2	85	64	2,220	5	1	15515	47	0			
4	3,5	28	2	85	64	2,430	5	1	15515	48	0			
3	3,5	32	2	85	64	2,220	5	1	15515	52	0			
3	3,5	38	2	85	64	2,220	5	1	15515	58	0			




- Dead-bolt only

5	3,5	25	2	85	64	2,190	1	1	56500	25	0			
5	3,5	27	2	85	64	2,190	1	1	56500	27	0			
5	3,5	28	2	85	64	2,190	1	1	56500	28	0			
4	3,5	32	2	85	64	2,190	1	1	56500	32	0			
4	3,5	38	2	85	64	2,190	1	1	56500	38	0			
5	3,5	25	2	85	64	1,890	5	1	56500	45	0			
5	3,5	27	2	85	64	1,890	5	1	56500	47	0			
5	3,5	28	2	85	64	1,890	5	1	56500	48	0			
4	3,5	32	2	85	64	1,890	5	1	56500	52	0			
4	3,5	38	2	85	64	1,890	5	1	56500	58	0			


Type	Description	DEAD-BOLTS								ITEM			
		No.	Projection	Distance	Throws	Centre Distance	Faceplate	Backset	Unit weight 	 Pieces	Type	Dim.	Hand
	• Dead-bolt only • Pre-arranged for additional locking points	5	3,5	25	2	85	64	2,370	1	1	56505	25	0
		5	3,5	27	2	85	64	2,370	1	1	56505	27	0
		5	3,5	28	2	85	64	2,370	1	1	56505	28	0
		4	3,5	32	2	85	64	2,370	1	1	56505	32	0
		4	3,5	38	2	85	64	2,370	1	1	56505	38	0
		5	3,5	25	2	85	64	2,070	5	1	56505	45	0
		5	3,5	27	2	85	64	2,070	5	1	56505	47	0
		5	3,5	28	2	85	64	2,070	5	1	56505	48	0
		4	3,5	32	2	85	64	2,070	5	1	56505	52	0
		4	3,5	38	2	85	64	2,070	5	1	56505	58	0
	• Dead-bolt and latch	4	3,5	25	2	85	64	2,140	1	1	56510	25	0
		4	3,5	27	2	85	64	2,140	1	1	56510	27	0
		4	3,5	28	2	85	64	2,440	1	1	56510	28	0
		3	3,5	32	2	85	64	2,140	1	1	56510	32	0
		3	3,5	38	2	85	64	2,140	1	1	56510	38	0
		4	3,5	25	2	85	64	1,840	5	1	56510	45	0
		4	3,5	27	2	85	64	1,840	5	1	56510	47	0
		4	3,5	28	2	85	64	1,840	5	1	56510	48	0
		3	3,5	32	2	85	64	1,840	5	1	56510	52	0
		3	3,5	38	2	85	64	1,840	5	1	56510	58	0
	• Dead-bolt and latch • Pre-arranged for additional locking points	4	3,5	25	2	85	64	2,320	1	1	56615	25	0
		4	3,5	27	2	85	64	2,320	1	1	56615	27	0
		4	3,5	28	2	85	64	2,320	1	1	56615	28	0
		3	3,5	32	2	85	64	2,320	1	1	56615	32	0
		3	3,5	38	2	85	64	2,320	1	1	56615	38	0
		4	3,5	25	2	85	64	2,020	5	1	56615	45	0
		4	3,5	27	2	85	64	2,020	5	1	56615	47	0
		4	3,5	28	2	85	64	2,360	5	1	56615	48	0
		3	3,5	32	2	85	64	2,020	5	1	56615	52	0
		3	3,5	38	2	85	64	2,020	5	1	56615	58	0
		4	3,5	27	2	92	64	2,320	1	1	56615	27	0
		4	3,5	28	2	92	64	2,320	1	1	56615	28	0
		3	3,5	38	2	92	64	2,320	1	1	56615	38	0
		4	3,5	27	2	92	64	2,020	5	1	56615	47	0
		4	3,5	28	2	92	64	2,370	5	1	56615	48	0
		3	3,5	38	2	92	64	2,360	5	1	56615	58	0
	• Dead-bolt only • Pre-arranged for additional locking points	5	3,5	25	2	85	64	2,370	1	1	B6505	25	0
		5	3,5	28	2	85	64	2,370	1	1	B6505	28	0
		4	3,5	38	2	85	64	2,370	1	1	B6505	38	0
		5	3,5	25	2	85	64	2,070	1	1	B6505	45	0
		5	3,5	28	2	85	64	2,070	1	1	B6505	48	0
		4	3,5	38	2	85	64	2,070	1	1	B6505	58	0

Type	Description	DEAD-BOLTS								ITEM				
		No.	Projection	Distance	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	Type	Dim.	Hand	Fin.



- Dead-bolt and latchbolt
- Pre-arranged for additional locking points

4	3,5	25	2	85	64	2,550	1	1	B6515 25 0
4	3,5	28	2	85	64	2,550	1	1	B6515 28 0
3	3,5	38	2	85	64	2,550	1	1	B6515 38 0
4	3,5	25	2	85	64	2,020	1	1	B6515 45 0
4	3,5	28	2	85	64	2,620	1	1	B6515 48 0



- Dead-bolt and latchbolt
- Pre-arranged for additional locking points

4	3,5	28	2	92	64	2,550	1	1	B6615 28 0
3	3,5	38	2	92	64	2,550	1	1	B6615 38 0
4	3,5	28	2	92	64	2,020	1	1	B6615 48 0
3	3,5	38	2	92	64	2,020	1	1	B6615 58 0