


**Technical features:**

- Zinc plated steel case
- Nickel-plated reversible latch
- Nickel-plated steel bolts
- Packing: 1 or 5 pcs. (industrial wrapping)

Hand:

0 = Non-handed


Operation:

- **VERSION WITH CONSTRUCTION KEY:** the key operates the latch
- **VERSION WITH SERVICE KEY:** the key operates the latch and first 2 throws


Supplied as standard:

- Keys
- Key guide item 1.06142.01.0
- Inside escutcheon item 1.06143.00.0
- Outside escutcheon item 1.06082.00.0

Type	Description	Key item	DEAD-BOLTS								ITEM				
			No.	Projection	Distance	Throws	Centre Distance	Faceplate	Backset	Unit weight 	Pieces 	Type	Dim.	Hand	Fin.




- Dead-bolt and latch
- Electrically controlled dead-locking latch
- 12 V ac CE
- Slide item 1.06224.50.0




3 art. 1 00123 00 1

4	3,5	25	4	85	64	2,380	1	1 17510 25 0
4	3,5	27	4	85	64	2,380	1	1 17510 27 0
4	3,5	28	4	85	64	2,380	1	1 17510 28 0
3	3,5	32	4	85	64	2,380	1	1 17510 32 0
3	3,5	38	4	85	64	2,380	1	1 17510 38 0
4	3,5	25	4	85	64	2,080	5	1 17510 45 0
4	3,5	27	4	85	64	2,080	5	1 17510 47 0
4	3,5	28	4	85	64	2,080	5	1 17510 48 0
3	3,5	32	4	85	64	2,080	5	1 17510 52 0
3	3,5	38	4	85	64	2,080	5	1 17510 58 0




- Dead-bolt and latch
- Electrically controlled dead-locking latch
- 12 V ac CE
- Slide item 1.06224.50.0
- Pre-arranged for additional locking points




3 art. 1 00123 00 1

4	3,5	25	4	85	64	2,570	1	1 17515 25 0
4	3,5	27	4	85	64	2,570	1	1 17515 27 0
4	3,5	28	4	85	64	2,570	1	1 17515 28 0
3	3,5	32	4	85	64	2,570	1	1 17515 32 0
3	3,5	38	4	85	64	2,570	1	1 17515 38 0
4	3,5	25	4	85	64	2,270	5	1 17515 45 0
4	3,5	27	4	85	64	2,270	5	1 17515 47 0
4	3,5	28	4	85	64	2,270	5	1 17515 48 0
3	3,5	32	4	85	64	2,270	5	1 17515 52 0
3	3,5	38	4	85	64	2,270	5	1 17515 58 0



- Dead-bolt only



2 art. 1 00125 00 1



1 art. 1 00120 00 1










5	3,5	28	4	85	64	2,180	1	1 57500 08 0
---	-----	----	---	----	----	-------	---	--------------





- Dead-bolt only



3 art. 1 00123 00 1

5	3,5	25	4	85	64	2,180	1	1 57500 25 0
5	3,5	27	4	85	64	2,180	1	1 57500 27 0
5	3,5	28	4	85	64	2,180	1	1 57500 28 0
4	3,5	32	4	85	64	2,180	1	1 57500 32 0
4	3,5	38	4	85	64	2,180	1	1 57500 38 0

Type	Description	Key item	DEAD-BOLTS									ITEM					
			No.	Projection	Distance	Throws	Centre Distance	Faceplate	Backset	 Unit weight	 Pieces	Type	Dim.	Hand	Fin.	Pers.	Spec.
	• SERVICE KEY VERSION	 3 art. 1 00123 00 1	5	3,5	25	4	85	64	2,200	1	1	57501 25 0					
	• Dead-bolt only		5	3,5	27	4	85	64	2,200	1	1	57501 27 0					
			5	3,5	28	4	85	64	2,200	1	1	57501 28 0					
			4	3,5	32	4	85	64	2,200	1	1	57501 32 0					
			4	3,5	38	4	85	64	2,200	1	1	57501 38 0					
		1 art. 1 00120 00 1 service key															
	• Dead-bolt only	 3 art. 1 00123 00 1	5	43,5	28	4	85	64	2,380	1	1	57502 28 0					
	• Cover plate item 1.06228.00.0		4	43,5	32	4	85	64	2,380	1	1	57502 32 0					
		• Dead-bolt only	 2 art. 1 00125 00 1	5	3,5	28	4	85	64	2,280	1	1	57505 08 0				
• Pre-arranged for additional locking points																	
		 1 art. 1 00120 00 1															
• Dead-bolt only			5	3,5	25	4	85	64	2,380	1	1	57505 25 0					
• Pre-arranged for additional locking points			5	3,5	27	4	85	64	2,380	1	1	57505 27 0					
			5	3,5	28	4	85	64	2,380	1	1	57505 28 0					
			4	3,5	32	4	85	64	2,380	1	1	57505 32 0					
		4	3,5	38	4	85	64	2,380	1	1	57505 38 0						
• SERVICE KEY VERSION		 3 art. 1 00123 00 1	5	3,5	25	4	85	64	2,400	1	1	57506 25 0					
• Dead-bolt only			5	3,5	27	4	85	64	2,400	1	1	57506 27 0					
• Pre-arranged for additional locking points			5	3,5	28	4	85	64	2,400	1	1	57506 28 0					
			4	3,5	32	4	85	64	2,400	1	1	57506 32 0					
			4	3,5	38	4	85	64	2,400	1	1	57506 38 0					
		1 art. 1 00120 00 1 service key															
• Dead-bolt only		 3 art. 1 00123 00 1	5	43,5	28	4	85	64	2,580	1	1	57507 28 0					
• Pre-arranged for additional locking points																	
• Cover plate item 1.06228.00.0																	
	• Dead-bolt and latch	 2 art. 1 00125 00 1	4	3,5	28	4	85	64	2,850	1	1	57510 08 0					
		 1 art. 1 00120 00 1															
	• Dead-bolt and latch		4	3,5	25	4	85	64	2,230	1	1	57510 25 0					
			4	3,5	27	4	85	64	2,230	1	1	57510 27 0					
			4	3,5	28	4	85	64	2,230	1	1	57510 28 0					
			3	3,5	32	4	85	64	2,230	1	1	57510 32 0					
		3	3,5	38	4	85	64	2,230	1	1	57510 38 0						
	• SERVICE KEY VERSION	 3 art. 1 00123 00 1	4	3,5	25	4	85	64	2,250	1	1	57511 25 0					
	• Dead-bolt and latch		4	3,5	27	4	85	64	2,250	1	1	57511 27 0					
			4	3,5	28	4	85	64	2,250	1	1	57511 28 0					
			3	3,5	32	4	85	64	2,250	1	1	57511 32 0					
			3	3,5	38	4	85	64	2,250	1	1	57511 38 0					
		1 art. 1 00120 00 1 service key															
	• Dead-bolt and latch	 3 art. 1 00123 00 1	4	43,5	28	4	85	64	2,430	1	1	57512 28 0					
	• Cover plate item 1.06228.00.0		3	43,5	32	4	85	64	2,430	1	1	57512 32 0					

Type	Description	Key item	DEAD-BOLTS								ITEM				
			No.	Projection	Distance	Throws	Centre Distance	Faceplate	Backset	Unit weight	Pieces	Type	Dim.	Hand	Fin.
	- Dead-bolt and latch - Pre-arranged for additional locking points		4	3,5	28	4	85	64	2,430	1	1 57515 08 0				
		2 art. 1 00123 00 1													
			1												
		1 art. 1 00120 00 1													
	- Dead-bolt and latch - Pre-arranged for additional locking points		4	3,5	25	4	85	64	2,430	1	1 57515 25 0				
			4	3,5	27	4	85	64	2,600	1	1 57515 27 0				
			4	3,5	28	4	85	64	2,430	1	1 57515 28 0				
			3	3,5	32	4	85	64	2,430	1	1 57515 32 0				
			3	3,5	38	4	85	64	2,430	1	1 57515 38 0				
			4	3,5	28	4	85	64	2,260	5	1 57515 48 0				
	- CONSTRUCTION KEY VERSION - Dead-bolt and latch - Pre-arranged for additional locking points		4	3,5	28	4	85	64	2,450	5	1 57515 68 0				
		3 art. 1 00123 00 1													
			1												
			1 art. 1 00120 00 1												
			construction key												
	- SERVICE KEY VERSION - Dead-bolt and latch - Pre-arranged for additional locking points		4	3,5	25	4	85	64	2,450	1	1 57516 25 0				
			4	3,5	27	4	85	64	2,450	1	1 57516 27 0				
			4	3,5	28	4	85	64	2,450	1	1 57516 28 0				
			3	3,5	32	4	85	64	2,450	1	1 57516 32 0				
			3	3,5	38	4	85	64	2,450	1	1 57516 38 0				
			1 art. 1 00120 00 1												
			service key												
	- Dead-bolt and latch - Pre-arranged for additional locking points - Cover plate item 1.06228.00.0		4	43,5	28	4	85	64	2,630	1	1 57517 28 0				
			3	43,5	32	4	85	64	2,630	1	1 57517 32 0				
			3	43,5	38	4	85	64	2,630	1	1 57517 38 0				
	- SERVICE KEY VERSION - Dead-bolt and latch - Pre-arranged for additional locking points - Cover plate item 1.06228.00.0		3	43,5	32	4	85	64	2,650	1	1 57518 32 0				
			3 art. 1 00123 00 1												
			1												
			1 art. 1 00120 00 1												
			service key												
	- Dead-bolt only - Pre-arranged for additional locking points		5	3,5	25	4	85	64	2,380	1	1 87505 25 0				
			5	3,5	28	4	85	64	2,380	1	1 87505 28 0				
			4	3,5	38	4	85	64	2,380	1	1 87505 38 0				
			5	3,5	25	4	85	64	2,380	1	1 87505 45 0				
			5	3,5	28	4	85	64	2,380	1	1 87505 48 0				
			4	3,5	38	4	85	64	2,380	1	1 87505 58 0				
	- Dead-bolt and latch - Pre-arranged for additional locking points		4	3,5	25	4	85	64	2,430	1	1 87515 25 0				
			4	3,5	28	4	85	64	2,800	1	1 87515 28 0				
			3	3,5	38	4	85	64	2,685	1	1 87515 38 0				
			4	3,5	25	4	85	64	2,360	1	1 87515 45 0				
			4	3,5	28	4	85	64	2,590	1	1 87515 48 0				
			3	3,5	38	4	85	64	2,360	1	1 87515 58 0				