






Type	Description	Biting	H	Kg	Unit weight	Pieces	ITEM				
							Type	Dim.	Hand	Fin.	Pers. Spec.


	- Bronze pin for cylinders and padlocks with key item 00401, 01310, 01320, 01330 - Key differ: 0.65 mm.	1	5,20	0,305	1000	1 07551 01 0
		2	5,85	0,340	1000	1 07551 02 0
		3	6,50	0,370	1000	1 07551 03 0
		4	7,15	0,395	1000	1 07551 04 0
		5	7,80	0,430	1000	1 07551 05 0
		6	8,45	0,480	1000	1 07551 06 0


	- Bronze pin for cylinders and padlocks with key item 00500 and 00450 - Key differ: 0.5 mm	0	4,00	0,235	1000	1 07551 11 0
		1	4,50	0,250	1000	1 07551 12 0
		2	5,00	0,250	1000	1 07551 13 0
		3	5,50	0,315	1000	1 07551 14 0
		4	6,00	0,330	1000	1 07551 15 0
		5	6,50	0,365	1000	1 07551 16 0
		6	7,00	0,400	1000	1 07551 17 0
		7	7,50	0,480	1000	1 07551 18 0









	- Bronze pin for C2000 cylinders with key item 01070 - Key differ: 0.44 mm.	1	5,20	0,305	1000	1 07551 01 0
		2	5,64	0,285	1000	1 07551 41 0
		3	6,07	0,330	1000	1 07551 42 0
		4	6,50	0,370	1000	1 07551 03 0
		5	6,94	0,365	1000	1 07551 43 0
		6	7,37	0,400	1000	1 07551 44 0
		7	7,80	0,430	1000	1 07551 05 0
		8	8,25	0,460	1000	1 07551 45 0







	- Bronze pin for ASTRAL and ASIX cylinders with key item 1.00620.01.0, 1.00620.90.0, 1.00670.01.0 - Key differ: 0.48 mm.	1	5,05	0,255	1000	1 07551 71 0
		2	5,53	0,185	1000	1 07551 72 0
		3	6,01	0,290	1000	1 07551 73 0
		4	6,49	0,185	1000	1 07551 74 0
		5	6,97	0,185	1000	1 07551 75 0
		6	7,45	0,185	1000	1 07551 76 0

	- Bronze pin for padlocks with key item 01410, 01420, 01425, 01430 - Key differ: 0.65 mm.	1	4,45	0,206	1000	1 07551 51 0
		2	5,10	0,250	1000	1 07551 52 0
		3	5,75	0,260	1000	1 07551 53 0
		4	6,40	0,300	1000	1 07551 54 0
		5	7,05	0,322	1000	1 07551 55 0
		6	7,70	0,350	1000	1 07551 56 0


	Bronze upper passive pin for ASTRAL cylinders	5,80	0,241	1000	1 07551 79 0
---	---	------	-------	------	--------------


	Brass driver for cylinders and padlocks with key item 00401, 00450, 00500, 01310, 01320, 01330, 01070	3,00	0,295	1000	1 07552 01 0
		4,00	0,252	1000	1 07552 02 0
		5,00	0,305	1000	1 07552 03 0


Type	Description	Bitting	H	Unit weight Kg	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Spec.
	• Mushroom brass driver for cylinders and padlocks with key item 01410, 01420, 01425, 01430			3,85	0,215	1000	1			07552 51 0
	• Mushroom brass driver for ASTRAL cylinders with key item 1.00620.01.0, 1.00620.90.0			8,00	0,410	1000	1			07552 71 0
							2			07552 72 0
							3			07552 73 0
							4			07552 74 0
							5			07552 75 0
	• Brass driver for ASTRAL and ASIX cylinders with key item 1.00620.01.0, 1.00620.90.0, 1.00670.01.0			5,50	0,410	1000	1			07552 76 0
	• Mushroom brass driver for ASTRAL SIGILLO cylinders			7,00	0,410	1000	1			07552 73 0
							2			07552 74 0
							3			07552 75 0
	• Brass driver for ASTRAL SIGILLO cylinders			5,50	0,410	1000	1			07552 76 0
							5-6			07552 63 0
	• Brass driver for ASTRAL and ASIX rim cylinders with key item 1.00620.01.0, 1.00620.90.0, 1.00670.01.0			5,50	0,410	1000	1			07552 81 0
							2			07552 82 0
							3			07552 83 0
							4			07552 84 0
							5			07552 85 0
							6			07552 86 0
	• Mushroom brass driver for cylinders and padlocks with key item 00401, 00450, 00500, 01310, 01320, 01330, 01070			3,00	0,255	1000	1			07553 01 0
							4,00			07553 02 0
							5,00			07553 03 0
	• Mushroom brass driver for cylinders and padlocks with key item 01410, 01420, 01425, 01430			3,85	0,170	1000	1			07553 51 0


Type	Description	Bitting	H	 Unit weight	 Pieces	ITEM			
						Type	Dim.	Hand	Pers. Spec.
	• Brass spring for cylinders series 02500 and 02559	13,50	0,095	1000	1	07554 01 0			
	• Brass spring for cylinders series 02550 and 02552	10,50	0,080	1000	1	07554 02 0			
	• Brass spring for: Cylinders series C2000, 08300, 08700, 08800 Padlocks item 1.22010.50/60 and 1.26010.50/60	15,50	0,100	1000	1	07554 03 0			
	• Brass spring for cylinders series 07573	10,70	0,102	1000	1	07554 05 0			
	• Brass spring for padlocks item 1.22010.30/40	9,00	0,080	1000	1	07554 51 0			
	• Brass spring for cylinders ASTRAL SIGILLO	9,50	0,078	1000	1	07554 71 0			
	• Brass spring for cylinders ASTRAL and ASIX	12,00	0,065	1000	1	07554 72 0			
	• Brass spring for rim cylinders ASTRAL and ASIX	10,00	0,102	1000	1	07554 73 0			
	• Brass master pin for cylinders and padlocks with key item 00401, 01310, 01320, 01330, 01070 • Key differ: 0.65 mm.	1	0,55	0,070	1000	1	07555 01 0		
		2	1,20	0,100	1000	1	07555 02 0		
		3	1,85	0,145	1000	1	07555 03 0		
		4	2,50	0,177	1000	1	07555 04 0		
		5	3,15	0,213	1000	1	07555 05 0		
	• Additional brass master pin for complex system with key item 00401, 01310, 01320, 01330, 01070 • Key differ: 0.65 mm.	1	0,65	0,078	1000	1	07555 11 0		
		2	1,30	0,100	1000	1	07555 12 0		
		3	1,95	0,145	1000	1	07555 13 0		
		4	2,65	0,175	1000	1	07555 14 0		
	• Brass master pin for cylinders and padlocks with key item 00450, 00500 • Key differ: 0.5 mm.	2	1,00	0,095	1000	1	07555 21 0		
		3	1,50	0,120	1000	1	07555 22 0		
		4	2,00	0,130	1000	1	07555 23 0		
		5	2,50	0,185	1000	1	07555 24 0		
		6	3,00	0,170	1000	1	07555 25 0		
		7	3,50	0,230	1000	1	07555 26 0		


Type	Description	Bitting	H	Unit weight Kg	Pieces	ITEM				
						Type	Dim.	Hand	Fin.	Pers. Spec.


	- Additional brass master pin for complex system ASTRAL and ASIX - Key differ: 0,48 mm.	2	0,96	0,078	1000	1	07555 31 0			
		3	1,44	0,078	1000	1	07555 32 0			
	- Brass master pin for cylinders ASTRAL and ASIX - Key differ: 0,48 mm.	2	0,88	0,213	1000	1	07555 33 0			
		3	1,36	0,213	1000	1	07555 34 0			
		4	1,84	0,213	1000	1	07555 35 0			
		5	2,32	0,213	1000	1	07555 36 0			
	- Brass master pin for cylinders and padlocks with key item 01410, 01420, 01425, 01430 - Key differ: 0.65 mm.	1	0,55	0,067	1000	1	07555 51 0			
		2	1,20	0,095	1000	1	07555 52 0			
		3	1,85	0,125	1000	1	07555 53 0			
		4	2,50	0,153	1000	1	07555 54 0			
		5	3,15	0,170	1000	1	07555 55 0			
	- Additional brass master pin for complex systems with key item 01410, 01420, 01425, 01430 - Key differ: 0.65 mm..	1	0,65	0,073	1000	1	07555 61 0			
		2	1,30	0,097	1000	1	07555 62 0			
		3	1,95	0,121	1000	1	07555 63 0			
		4	2,60	0,154	1000	1	07555 64 0			








	Brass plug retaining pin for padlocks item 1.22010.50.0	16,00	0,285	250	1	07556 01 0			
	Brass plug retaining pin for padlocks item 1.22010.30.0	12,70	0,165	250	1	07556 51 0			
	Brass plug retaining pin for padlocks item 1.22010.40.0	18,30	0,270	250	1	07556 52 0			




	Brass pin hole plug for padlocks item 1.22010.50.0 and 26510	4,50	0,323	1000	1	07557 01 0			
	Brass pin hole plug for padlocks item 1.22010.60.0	9,50	0,630	1000	1	07557 02 0			

	Brass pin hole plug for cylinders series C2000, 08300, 08700, 08800	4,10	0,295	1000	1	07557 11 0			
---	---	------	-------	------	---	------------	--	--	--

	Pin chamber plate for padlocks item 1.22010.30.0	0,188		250	1	07557 51 0			
---	--	-------	--	-----	---	------------	--	--	--

	Pin hole plug for padlocks item 1.22010.40.0	5,50	0,322	1000	1	07557 52 0			
---	--	------	-------	------	---	------------	--	--	--

Type	Description	Bitting	H	 Unit weight	 Pieces	ITEM			
						Type	Dim.	Hand	Pers. Spec.
	• Brass plug retaining circlip for rim cylinders			0,195	250	1 07558 01 0			
	• Brass plug retaining circlip for cylinders series C2000, 08310, 08710, 08815			0,275	250	1 07558 02 0			
	• Brass plug retaining circlip for cylinders series 07573			0,275	250	1 07558 03 0			
	• Stainless steel ball for SP and TSP cylinders			0,025	250	1 07562 01 0			
	• Hardened steel pin for cylinders and padlock with key item 00401- 01310 - 01320 - 01330 • Key differ: 0.65 mm	1	5,20	0,220	1000	1 07571 01 0			
		2	5,85	0,265	1000	1 07571 02 0			
		3	6,50	0,300	1000	1 07571 03 0			
		4	7,15	0,335	1000	1 07571 04 0			
		5	7,80	0,370	1000	1 07571 05 0			
		6	8,45	0,400	1000	1 07571 06 0			
	• Hardened steel pin for cylinders and padlocks with key item 00450 and 00500	0	4,00	0,400	1000	1 07571 11 0			
		1	4,50	0,400	1000	1 07571 12 0			
		2	5,00	0,400	1000	1 07571 13 0			
		3	5,50	0,295	1000	1 07571 14 0			
		4	6,00	0,400	1000	1 07571 15 0			
		5	6,50	0,400	1000	1 07571 16 0			
		6	7,00	0,400	1000	1 07571 17 0			
		7	7,50	0,400	1000	1 07571 18 0			
	• Hardened steel pin for C2000 cylinders a with key item 01070 • Key differ: 0.44 mm.	1	5,20	0,220	1000	1 07571 01 0			
		2	5,64	0,220	1000	1 07571 41 0			
		3	6,07	0,265	1000	1 07571 42 0			
		4	6,50	0,300	1000	1 07571 03 0			
		5	6,94	0,300	1000	1 07571 43 0			
		6	7,37	0,335	1000	1 07571 44 0			
		7	7,80	0,370	1000	1 07571 05 0			
		8	8,25	0,435	1000	1 07571 45 0			
	• Hardened steel pin for ASTRAL and ASIX cylinders, • Key differ: 0,48 mm.	1	5,05	0,155	1000	1 07571 71 0			
		2	5,53	0,155	1000	1 07571 72 0			
		3	6,01	0,155	1000	1 07571 73 0			
		4	6,49	0,155	1000	1 07571 74 0			
		5	6,97	0,155	1000	1 07571 75 0			
		6	7,45	0,155	1000	1 07571 76 0			
	• Hardened steel driver for cylinders and padlocks with key item 00401, 00450, 00500, 01313, 01320, 01330	2,50	0,235	1000	1 07572 01 0				
		3,50	0,235	1000	1 07572 02 0				
		5,00	0,290	1000	1 07572 03 0				

Type	Description	Bitting	H	Unit weight Kg	Pieces	ITEM Type Dim. Hand Fin. Pers. Spec.
	Steel driver for rim and various cylinders, ASTRAL and ASIX series	1	5,50	0,380	1000	1 07572 71 0
		2	5,00	0,380	1000	1 07572 72 0
		3	4,50	0,380	1000	1 07572 73 0
		4	3,95	0,380	1000	1 07572 74 0
		5	3,30	0,380	1000	1 07572 75 0
		6	2,65	0,380	1000	1 07572 76 0
	Hardened steel driver for ASTRAL and ASIX cylinder series with key 1.00620.01.0, 1.00620.90.0, 1.00670.01.0	6,00	0,380	1000	1	07572 85 0
	Hardened steel driver for ASTRAL SIGILLO cylinders	4,00	0,380	1000	1	07572 63 0